





Solar Panels

Clean & Protect Solar Panels



nagnesium, iron and lime soa







Wash Non filming

03



04		
Stain		

remover



Scrub
non scratch

05





Steril Clear pretreatme



07 **Thin Film** repellent coating

'n				
		يرويدون المتح	الديريتين	
		and the second second		
	ية المحديدا			





Solar Panel wash non filming

Product ID	: SOLA1000 32oz / SOLA5000 1.
	SOLA020L 5gal
Consumption	: 0.7oz : 2.5gal Water
pH Value	: 6.9-7.1
Used for	: Solar Panel Cleaning
Application field	: Solar farms, hotels, office buildi
	residential housing, airports, me
	schools & more.

Solar Panel Wash is an advanced technology, multi-purpose foaming cleaner containing a rinsing aid that will leave hard surfaces nearly dry after rinsing with clean water.

To assure the "easy-to-clean" effect that our nano layers provide, surfaces should be free of dyes, waxes or polymer sealants.

This multi-purpose cleaner contains no polymers or colors and will not leave a film of chemicals behind on the surface.

100% Safe to use espcially for solar panel cleaning can also be used in automatic wash systems.

Dilution ratio 1: 500 (super economical)



.32gal

dings, nedical centers,



Easy to apply



Easy to clean



Stays cleaner longer

Applicator:

40100703



Recommended Tools:



NANO-CERAMIC.COM



Solar Panel stain remover

Product ID	: SOLB01000 32oz / SOLB5000 1.32gal	
	SOLB020L 5gal	
Consumption	: +/- 0.007oz /ft²	
pH Value	:-0.3-0.6	
Used for	: Solar Panel Cleaning	
Application field	: Solar farms, hotels, office buildings, residential	
	housing, airports, medical centers, schools & more.	

This fully biodegradable stain remover is made with a superior synergistic blend of environmentally friendly acids to boost cleaning performance and potential cost-savings. SOLB is ideal for removing mineral deposits from glass, steel, porcelain, and many other materials.

- SUPB is anti-corrosion and safe to use on all hard surfaces. •
- SUPB prevents the deposition of soap residue and can be used ٠ to dissolve limescale formed by hard water.
- GHS label: NO health hazard label or acute toxicity ٠
- Readily biodegradable (OECD)

Safe to use





Applicator:



Application: Wet the surface, and wait 1 minute so that the calcium and magnesium can dissolve. Wipe away any residue and, if necessary, use our SOLC Scrub Cleaner to clean it more deeply.

SOLC

Solar Panel non scratching scrub

SOLC1000 32oz / SOLC5000 1.32oz : +/- 0.007oz /ft2

:6.4-6.6

- : Solar Panel Cleaning

: Solar farms, hotels, office buildings, residential housing, airports, medical centers, schools & more.

Scrub Pretreatment Cleaner is a smooth rubbing compound suitable for scrubbing solar panel materials like glass and aluminium without scratching the surface.

Leaves no scratches behind after treatment

NANO-CERAMIC®







Non-scratching

Applicator.



40100703



06



Solar Panel steril cleaner pretreatment

Product ID	: SOLD1000 32oz / SOLD5000 1.32gal	
	SOLD020L 5gal	
Consumption	: +/- 0.01oz/ft ²	
Used for	: Solar Panel Cleaning	
Application field	: Hotels, office buildings, residential housing,	
	airports, medical centers, schools & more.	

100% Steril with nano interlock technology

(active lifting encapsulate the grease from the surface

- Surface cleaning and residue removal.
- Pretreatment cleaner for the application of solar panel thin film ٠ repellent coating.





Solar Panel Thin film repellent coating

: SOLE1000 32oz / SOLE5000 1.32gal
SOLE020L 5gal
: +/- 0.007oz /ft2
: Solar Panel Cleaning
: Hotels, office buildings, residential housing
airports, medical centers, schools & more

SOLE is an ultra long-lasting invisible surface coating which forms semi-permanent molecular bonds with the surface. The main function of treating hard surfaces with SOLE is to seal tiny pores, making it a smoother surface that will repel water and contaminants.

- Two simple steps: Clean with our Steril Cleaner and apply.
- Makes the surface much easier and quicker to clean, and the adhesion of dirt is reduced drastically.
- This coating has an outstanding hydrophobic effect, and the surface stays cleaner longer. Cleaning intervals as well as the formation of water spots will be greatly reduced.

Will last 12 washes cycles

100% Steril



NANO-CERAMIC®





ntial housing,

Ĭ

\$\$

Anti-water spot

Cut cleaning costs

Easy to apply



Super hydrophobic Anti static

Self-cleaning Stays cleaner longer

Applicator

40100703

NANO-CERAMIC.COM

WWW.NANO-CERAMIC.COM INDUSTRIAL PROTECTIVE COATINGS

Influence of Dirt Accumulation on Performance of PV Panels

Efficiency of Solar PV Panels Using Hydrophobic Coatings

Water droplets uncoated	- 4%	efficiency reduction
Water Spots	-25%	efficiency reduction
Dust Sand Moss accumulation	-84%	efficiency reduction
Coated panels Easier to clean	+5% ?\$	efficiency improvement cleaning interval / reduction

Learn more



Increase Efficiency

Did you know?

That our coatings are made of pure silica sand, which is the most common element on Earth?

Dealer

