



Clean & Protect







Wherever water dries up, mineral deposits will occur. Dry the glass after every shower!



NANO-CERAMIC If the glass surface is so badly affected that it can not be cleaned with our SCRUB or WSRE remover, then please call our nearest distributor. They can offer professional assistance to thoroughly clean, polish, and apply a Thin Film Coat to the surface.

RECOVERY Project CONTACT OUR DEALER



NANO-CERAMIC SIRP is an invisible Repellency Maintainer effortlessly renews hydrophobicity on thin coats, glass, porcelain, chrome, ceramics, marble, and more. Simply spray and wipe to effectively clean and protect these surfaces, creating a super hydrophobic water and dirt repellent layer

BI-MONTHLY CLEANING

NANO-CERAMIC Sterile Pretreatment Cleaner is a 100% sterile mixture, formed with other ingredients for a sterile and outstanding bonding surface for high-tech nanoscale coatings Before applying any sealant or coating, it is important to ensure the substrate is completely free of paint residue, oils, fillers and contaminants. Active ingredients that make coatings or sealants more effective at repelling water and dirt, as well as providing more durabilitty.

BI-MONTHLY CLEANING



NANO-CERAMIC SHRE (Reactivating Pure Shine Shampoo). This shampoo contains no polymers or colors and will not leave a film of chemicals behind on the surface. Conventional chemicals destroy the hydrophobic effect that our nano layer provides. Build-up of unnecessary chemicals can cause serious and permanent coloration damage to all kinds of surfaces. (Color is added to conventional shampoos for marketing purposes only!) DAILY CLEANING

WEEKLY CLEANING

NANO-CERAMIC SCRUB (Scrub Pre-treatment) is a gentle but powerful scouring and cleaning compound, suitable for scrubbing glass, chrome, stainless steel, porcelain, marble, and many other materials without scratching the surface.

BI-MONTHLY CLEANING

NANO-CERAMIC SIO6 is a Thin Film Coating meticulously designed to seal the pores of glass, preventing external minerals from penetrating the surface. and provides outstanding hydrophobic properties, effectively repelling water, dirt, dust, and other contaminants. This coating typically lasts between 2 to 5 years and can be removed only through sanding. However, with regular application of our SIRP Repellent Protector, its lifespan is permanent, as it can be easily applied or reapplied for ongoing protection.

BI-MONTHLY CLEANING

02

NANO-CERAMIC®

THE NEW GENERATION COATINGS

REPELLENCY MAINTAINER

STERIL CLEANER

PURE SHINE SHAMPOO

NANO-CERAMIC WSRE (Water Spot Remover) is fully biodegradable and safe for your skin. WRSE is made from environmentally friendly acids that can effectively dissolve calcium, magnesium, iron, and lime deposits on glass, chrome, porcelain, marble, and many other materials. We advise adding a little to our SHRE Shampoo when you wash every month. If the mineral deposits are very thick, use WSRE in its undiluted form.

WATER SPOT - SOAP SCUM REMOVER Read more on Page 12

SCRUB CLEANER

REPELLENT PROTECTOR

Read more on Page 10

NANO-CERAMIC.COM

Read more on Page 11


Read more on Page 10

Read more on Page 12

Read more on Page 14

Interior Cleaning : Glass-Kitchen-Doors-Table Tops-Flooring--Carpet-Stainless

Always Like New : NANO-CERAMIC has a superior range of products.



04

THE NEW GENERATION COATINGS

NANO-CERAMIC®

NANO-CERAMIC SHRE (Reactivating Pure Shine Shampoo). This shampoo contains no polymers or colors and will not leave a film of chemicals behind on the surface. Conventional chemicals destroy the hydrophobic effect that our nano layer provides. Build-up of unnecessary chemicals can cause serious and permanent coloration damage to all kinds of surfaces. (Color is added to conventional

PURE SHINE SHAMPOO

NANO-CERAMIC The MPCL Multi-Purpose Cleaner is a fast, all-surface interior cleaner, easy to take and to use everywhere. It's low foaming, odor free, and especially suitable for removing tough

MULTI PURPOSE CLEANER

NANO-CERAMIC SIGS (Si-Gloss Sealer) bonds while cleaning, forming semi-permanent molecular bonds, and providing a glossy hydrophobic nano layer to the surface. Brings dull, weathered, and damaged surfaces to life. This sealant has a hydrophobic effect, which makes it an ideal product

GLOSS SEALER

NANO-CERAMIC SIFP (SI-Floor Protector) is a completely new formula that makes your flooring 2 times harder and more durable. It is so easy to apply: Simply dilute it 1:9 with water. This polish saves time and is easier to apply than other conventional polish compounds because you don't need to add extra water during polishing. Simply polish the surface until almost dry and remove the residue.

FLOOR PROTECTOR

NANO-CERAMIC SIO8 transparent sealer bonds to the surfaces of natural stone and wood. Prevents water and dirt from penetrating into the surface. This layer has a remarkable hydrophobic effect that keeps the surface cleaner and drier. Natural stone and wood are protected against the

NATURAL STONE - WOOD SEALER

NANO-CERAMIC SIFX Transparent Sealer bonds to the surfaces of leather and textile. Water and dirt are effectively repelled by this durable barrier with a remarkable hydrophobic effect that keeps the surface cleaner, drier, and protected against environmental pollutants.

Read more on Page 15

Read more on Page 12

Read more on Page 16

Read more on Page 17

Read more on Page 18

Read more on Page 19

Industrial Protection : Glass-Composite Stainless-Tiles-Stones-Concrete

Always Like New : NANO-CERAMIC has a superior range of products.



NANO-CERAMIC® SIO4 is a high-performance 6-micron coating specifically engineered to withstand all etching chemicals, including lime, making it exceptionally suitable for marble, granite, and laminated tables and countertops. This advanced coating provides an unparalleled level of protection, ensuring that even the most sensitive surfaces maintain their pristine condition over time.

NANO-CERAMIC® SIO6 is a Thin Film ceramic coating designed to seal the pores of Glass & Mirrors and is also applicable to acrylic surfaces. With a hardness of 2H (2 microns), this coating offers temperature resistance up to 1600°F. It's hydrophobic, repelling water, dirt, dust, and contaminants, thereby reducing your daily cleaning needs. It promotes cleaner surfaces, reducing bacteria and virus

THIN FILM GLASS COATING

NANO-CERAMIC® SIO7 is another Thin Film ceramic coating suitable for shiny tiles, chrome, ceramics, toilet seats, and covers, boasting a hardness of 9H (6 microns). This coating excels in chemical resistance, withstanding strong acids like Hydrofluoric acid (HF), Hydrochloric acid (HCl), Hydroxycitric acid (HCA), and many other weaker chemicals. SIO7 makes the surfaces hydrophobic and repellent to water, dirt, dust, and contaminants, reducing your daily cleaning needs.

THIN FILM CERAMIC COATING

NANO-CERAMIC® SIO9 stands out as one of our thinnest hydrophobic Thin Film ceramic coatings, ideal for matte stones, tiles, or other matte surfaces. With a hardness of 9H (2.5 microns).

THIN FILM CERAMIC COATING

NANO-CERAMIC® SI10 is a Thin Film ceramic coating designed to seal the pores of stainless steel surfaces. Maintaining the shine and cleanliness of stainless steel often requires significant effort. However, with a one-time application of SI10, fingerprints and oil become easily removable. This coating not only promotes surfaces with fewer bacteria and viruses but also ensures food safety, a

THIN FILM CERAMIC COATING

NANO-CERAMIC® SI17 Glossy Finish (6micrond) and SI19 Matte Finish (2 microns), are highperformance Thin Film Coatings which are meticulously designed for Glossy and Matte ACP Panels Boasting an impressive 9H hardness to resist micro-scratches but also offer enhanced UV protection, extending the lifetime of panels or painted surfaces by an additional 15-25 years or more.

NANO-CERAMIC.COM

Read more on Page 8/9

Read more on Page 8/9

Read more on Page 8/9

Read more on Page 8/9

Read more on Page 8/9

Read more on Page 8/9



SI04/SI06/SI07/SI09/SI10/SI17/SI19

Thin Film Ceramic Coating for all kind of surfaces

SIO4	SIO6	SIO7 POLISHED THE FORCE CONSIST. PARCELINK, MARKE	SIO9	SI10	SI17 SURVEIRO	SI19 APP PAREL MATTE
Sing H9	MA H2 M	Star H9	844 H9	The H9	MA H9 M	the H9 st

J.S.

Anti-Scratch

۲

†\$

How to use: Page 20

Cut cleaning costs

Anti-water spot

Anti-corrossion

hydrophobic

Self-cleaning

Anti-scratch

Protects your

investment

Visibility

safety

Indoor

Indoor

Anti-

Outdoor

fingerprint

Outdoor

stays cleaner longer

Super

Easy to apply



Just two simple steps: Clean with our Steril Cleaner and apply.

- Preserves the original surface, safeguarding it against corrosion.
- Creates an anti-scratch surface that's easy to clean. •
- Extends the lifespan of applied surfaces.

Expected lifespan: 15-25 years or more on a composite facade, and 2-5 years on a glass facade.




SIO4BKIT

SI06BKIT



SI09BKIT

SI10BKIT



NANO-CERAMIC.COM

SI07BKIT



SI17BKIT







Untreated

SIRP

Repellent Protector for hard surfaces

Product ID	: SIRP0500 16oz / SIRP5000 1.32gal
	SIRP020L 5gal
Consumption	: +/- 0.007oz /ft ² 2 Micron
Used for	: Glass, ceramic tiles, marble, chrome etc.
Application field	: Hotels, office buildings, residential housing,
	airports, medical centers, schools & more

SIRP is an ultra long-lasting invisible surface coating which forms semi-permanent molecular bonds with the surface. The main function of treating hard surfaces with SIRP is to seal tiny pores, making it a smoother surface that will repel water and contaminants. Can be used as maintenance on SIO6/7/9

- Two simple steps: Clean with our Steril Cleaner and Apply
- Makes the surface much easier and guicker to clean, and the adhesion of dirt is reduced drastically.
- · Promotes more hygienic surfaces.
- This coating has an outstanding hydrophobic effect, and the surface stays cleaner longer. Cleaning intervals as well as the formation of water spots will be greatly reduced.

Will last12 washes



How to use: Page 20



(**\$**\$ Cut cleaning costs

Anti-water spot

Super hydrophobic

H

۲

Self-cleaning Stays cleaner longer

Visibility Safety

Applicator.





Steril Cleaner hard surfaces


Product ID	: CLEAN0500 16oz / CLEAN5000
	CLEAN020L 5gal
Consumption	: +/- 0.01oz/ft ²
Used for	: Glass, ceramics, mirrors, marble
Application field	: Hotels, office buildings, resident

airports, medical centers, schools & more.

100% Steril with nano interlock technology (active lifting encapsulate the grease from the surface

- · Surface cleaning and residue removal.
- · Cleaning gloves, notebooks, phones or any other item entering the cleanroom.
- Wipe down for pass-through to controlled environments. •
- Pretreatment for the application of thin film coating •

100% Steril





0 1.32gal

le wood steel ntial housing,



Easy to apply spray &wipe



Indoor Outdoor



Remove grease




100% Steril



Visibility Safety

Applicator.





SHRE

Pure Shine Shampoo all surfaces

Product ID	: SHRE1000 32oz / SHRE5000 1.32gal
	SHRE020L 5gal
Consumption	: 0.7oz : 2.5gal Water
Used for	: Daily cleaning
Application field	: Hotels, office buildings, residential housing,
	airports, medical centers, schools & more.

Reactivating Pure Shine Shampoo is an advanced technology, multi-purpose foaming cleaner containing a rinsing aid that will leave hard surfaces nearly dry after rinsing with clean water.

To assure the "easy-to-clean" effect that our nano layers provide, surfaces should be free of dyes, waxes or polymer sealants.

This multi-purpose cleaner contains no polymers or colors and will not leave a film of chemicals behind on the surface.

100% Safe to use for cleaning all non-porous surfaces and meets food grade classification for kitchens.

Easy to apply \otimes Easy to clean + Stays cleaner longer ת Food grade

WSRE **Mineral Remover** hard surfaces

Product ID	: WSRE0500 16oz / WSRE5000 1.32gal
	WSRE020L 5gal
Consumption	: +/- 0.007oz /ft²
Used for	: Hard surfaces
Application field	: Hotels, office buildings, residential housing
	airports, medical centers, schools & more.

This fully biodegradable stain remover is made with a superior synergistic blend of environmentally friendly acids to boost cleaning performance and potential cost-savings. WSRE is ideal for removing mineral deposits from glass, steel, porcelain, and many other materials.

- WRSE is anti-corrosion and safe to use on all hard surfaces.
- WRSE prevents the deposition of soap residue and can be used to dissolve limescale formed by hard water.
- GHS label: NO health hazard label or acute toxicity
- Readily biodegradable (OECD)

Safe to use

Dilution ratio 1: 500 (super economical)





ntial housing,



Easy to Apply Spray and Clean





Non-corrosive



Dissolves calcium and magnesium



Reduce spotting & filming

Application: Wet the surface, and wait 1 minute so that the calcium and magnesium can dissolve. Wipe away any residue and, if necessary, use our Scrub Cleaner to clean it more deeply.



014



SCRUB

Scrub Cleaner hard surfaces

Product ID	SCRUB0250 8.5oz / SCRUB5000 1.32gal		
	SCRUB020L 5gal		
Consumption	: +/- 0.007oz /ft ²		
Used for	: Hard surfaces		
Application field	: Hotels, office buildings, residential housing,		
	airports,medical centers, schools & more.		

Scrub Pretreatment Cleaner is a smooth rubbing compound, suitable for scrubbing glass, steel, porcelain and many other materials without scratching the surface.

If you need more scouring power, then please use our specially designed scrub pad.



Leaves no scratches behind after treatment

MPCL

Multi Purpose Cleaner all surfaces

Product ID	: MPCL0500 16oz / MPCL50
	MPCL020L 5gal
Consumption	: +/- 0.017oz /ft ²
Used for	: Cleaning all surfaces
Application field	: Airports, office buildings, ho
	restaurants and private hou

The All-Purpose Cleaner is a fast, all-surface interior cleaner, low foaming, odor free, and especially suitable for removing stubborn stains from carpets, fabrics, vinyl, plastics and leather safely.

- It is very easy to clean dirt.
- Ready-to-use mixture with the right chemical strength and safe to use
- Of course it is safe for the surface of fabrics, carpets, plastics, leather, rubber and does not fade paint.
- Quickly remove dirt, dust and food scraps

Safe to use does not harm the surface

NANO-CERAMIC®

THE NEW GENERATION COATINGS

NANO-CERAMIC.COM



5000 1.32gal

otels, ousing





Untreated

After treatment



Gloss Sealer hard surfaces



Product ID	:SIGS0500 16oz / SIGS5000 1.32gal
	SIGS020L 5gal
Consumption	: +/- 0.007oz/ft ²
Used for	: Marble / granite / wood / plastics / metal
Application field	: Hotels, office buildings, residential housing, airports,
	medical centers, schools & more

The Si-Gloss Sealer forms semi-permanent molecular bonds to protect hard surfaces.

- Brings dull and weathered surfaces back to life, leaving a clean ٠ satin-gloss finish
- This sealant has a hydrophobic effect, that makes it an ideal product for preventing drying rings on tables
- The bacterial disinfectant present in the hydrophobic nano layer
- Eliminates viruses and bacteria and reduces the chance of • contamination, the disinfection process continues as long as the nano layer is present on the surface.

Renew every surface



Satin-gloss

Applicator.



SIFP

Protector hard flooring

Product ID Consumption Used for Application field

: SIFP1000 1L / SIFP5000 5L / SIFP020L 20L : +/- 0.017 oz/ft^2 or ready to use 0.17 oz/ft^2 : Marble / granite / tile / wood flooring : Hotels, office buildings, residential housing, airports, medical centers, schools & more.

Floor Nano-Polish consists of the latest advanced material composition of micronized polyethylene particles making a flexible, yet harder and more durable floor protection than our competitors.

A simple 1:9 dilution with normal water allows an easy to apply polish time saving process that requires no additional water to be added.

Polish the floor until almost dry, then remove the residue.

Wait 10 minutes and finish buffing to a high gloss with a fine polish pad.

Protects 2 times longer than other solutions.

Untreated

After treatment



Ø



Outdoor

Easy to apply

Indoor



Hydrophobic: Water & oil repellent



Cut cleaning costs



555





Breathable & flexible

Superior hardness

Applicators:







S108

Protector natural wood / natural stone

Product ID	: SIO80500 16oz / SIO85000 1.32gal
	SIO8020L 5gal
Consumption	: +/- 0.14oz/ft ²
Used for	: Natural stone, lacquered wood
Application Field	: Hotels, office buildings, residential housing,
	airports, medical centers, schools & more

The SIO8 invisible sealant forms a durable bond that is breathable and flexible.

- Water and dirt are effectively repelled.
- Hygiene goes to a higher level.
- This coating has an outstanding hydrophobic effect, making surfaces stay cleaner and drier longer.
- Cleaning intervals on wallsare longer, and the need for restoration will be greatly reduced.
- Natural stone and wood are protected against the penetration of pollution.

Expected Life Duration up to 5 years



	How to use: page 20
	Easy to apply clean & dry & spray
	Sprayable
۲	Invisible
	Indoor Outdoor
<u></u>	Breathable & flexible
	Super hydrophobic
	Spills are easy to remove
$\textcircled{\bullet}$	Stays cleaner longer

SIFX

Protector fabric / leather / canvas

Product ID	: SIFX0500 16oz / SIFX5000 1.32
	SIFX020L 5gal
Consumption	: Leather +/- 0.68oz/ft ²
	Fabric +/- 1.35oz/ft ²
Used for	: fabric, leather, carpets and canva
Application field	: airports, office buildings, hotels,
	restaurants and private housing

The SIFX invisible sealants form a durable bond that is breathable and flexible with textile fibers and leather surfaces.

- Water and dirt are effectively repelled, and spills are easier to remove.
- Hygiene goes to a higher level.
- This coating has an outstanding hydrophobic effect, making fabrics, leather, and carpets stay cleaner and drier longer.
- · Cleaning intervals on carpets are longer, and the need for restoration will be greatly reduced.

Expected Life Duration up to 1-3 years (depending traffic)





1.32gal

How to use: page 20

canvas otels,



Easy to apply clean & dry & spray

original colours remain



Sprayable

Transparent

Indoor &

۲



Breathable & flexible


outdoor use



Hydrophobic reppel water & oil



Easy to clean



HOW TO USE: NANO-CERAMIC SIRP, SIO6, SIO7, SIBC, SIO8, SIO9, SI10, SI17, SI19, SIFX

These products can be stored for up to 24 months (in a dry, temperature-stable, dark environment)

Ambient temperature:

41-86 °F Avoid direct sunlight and/or high air humidity.

IMPORTANT:

Before you use a NANO-**CERAMIC** product, please make sure you wear suitable protection gear. We always recommend to use latex or nitrile gloves to make sure your hands are protected from any possible damage to your skin. Use a mask for extra safety.



Mask



Nitrile gloves







Applicators

CLEANING

Clean the surface thoroughly with our Steril Cleaner until it is absolutely clean. If necessary, use our Scrub Cleaner or Reactivating Pure Shine Shampoo in advance. Make sure that all contamination is removed so that the glass coating can bind properly onto a clean surface. Make sure that the surface is completely dry before application!

APPLICATION OF SIRP

Spray a layer of nano SIRP on the surface and rub it in with a dry microtowel, keep rubbing it into the surface with strong pressure and wipe until all the product is even and scrubbed and only a little hazing / residue is visible Gently wipe off this hazing / residue with a clean microfiber cloth after about a minute There is only a little pressure needed to remove the hazing completely. Curing time 1 hour.

APPLICATION OF SIO6, SIO7 SIO9 SI10 SI17 SI19

Shake the bottle very well before use! Take a soft cotton pad and pour a few drops of the coating on it (start with small amounts, only a little product is needed). Moistens, steel, or wood surfaces evenly. Wait +/-30-60 seconds. When applied correctly, you can see a light grey haze on the surface.

Gently polish away the haze after all solvents are vaporized by using a clean (microfiber) cloth. Immediately after polishing, the coating is dry and resistant to touching. At normal ambient temperature, the coatings are completely cured after approximately 12 hours.

APPLICATION OF SIO8 AND SIFX

Clean the surface thoroughly until it is absolutely clean. Make sure that all contamination is removed so that the sealant can bind properly onto a clean surface.

Make sure that the surface is completely dry before application! Shake the bottle very well before use!

Put it into a sprayer and spray until the surface is saturated, and let the surface dry for 24 hours. Shake the bottles very well before use! Put it into a sprayer and spray until the surface is saturated, and let the surface dry for 24 hours.



Scan for TDS Technical and SDS Safety Data Sheet

Scan for Application Video



NANO-CERAMIC®

-	7:58	Property Mainton
-	1:31	NANO-CERAMI nano-ceramic com
-	1:10	NANO-CERAMI nano-ceramic com
-	0:28	NANO-CERAMI nano-ceramic com
-	2 1:19	NANO-CERAMI nano-ceramic com
=	0:52	NANO-CERAMI nano-ceramic com
=	1:01	NANO-CERAMI nano-ceramic com
=	1:14	NANO-CERAMI nano-ceramic com
-	0:27	NANO-CERAMI nano-ceramic com
_		NANO CERAMI



tenance Full Range

IIC® SCRUB Application Video Official

IIC® SIRP Application Video Official.

IC® WSRE Application Video Official

IIC® SIO7 Application Manual Official

IIC® Steril Clean Application Video Official

IIC® SIGS Application Video Official

IIC® MPCL Application Manual Official


IIC® SIFX Application Video Official

IIC® SIFP Application Video Official

Solar Panels Clean & Protect Application Manual Officia







The Leader in Durability

Did you know?

That our coatings are made of pure silica sand, which is the most common element on Earth? Dealer